



OUTDOOR DECORATIVE AND WATERPROOF LIGHTING LUMINAIRES



LED R9000S Silver 14xLED

Description: LED Decorative lamp.
Technical details: Housing die cast aluminum, powder coated anti-corrosion silver paint. Transparent diffuser polycarbonate. Equipped with SMD type LEDs.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage	Luminous flux
182-15100	Blue	2 W	4lm



LED E5055 3W White

Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Transparent diffuser polycarbonate. Equipped with SMD type LEDs.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
182-152442	3000K	3 W
182-032442	3000K	3 W



LED E5005 5W Grey

Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Diffuser of opal polycarbonate. Equipped with SMD type LEDs and electronic the driver.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage	Luminous flux
182-15270-Grey	5000K	5 W	9lm
182-03270- Dark grey	5000K	5 W	9lm



LED E5062 7W Silver grey

Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Transparent diffuser polycarbonate. Equipped with SMD type LEDs.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
182-03322	6000K	7W



696/S 3W White IP54

Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Diffuser of opal polycarbonate. Equipped with SMD type LEDs and electronic the driver.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
183-03288	4000K	3 W



LED E5066 3W Dark Grey

Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Transparent diffuser polycarbonate. Equipped with SMD type LEDs.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
182-03324	4000K	3 W



696/M 5W White IP54

Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Diffuser of opal polycarbonate. Equipped with SMD type LEDs and electronic the driver.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
183-03289	4000K	5 W




LED E5065 3W Dark Grey


Description: LED Decorative lamp.
Technical details: Housing of stainless steel. Transparent diffuser polycarbonate. Equipped with SMD type LEDs.
Installation: Holders and Plastic box that enable install inside walls or stairs.
Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
182-03326	4000K	3 W

**LED GD016 1.5W Blue****Description:** LED Decorative lamp.**Technical details:** Housing die cast aluminum, powder coated anti-corrosion silver paint. Glass matt diffuser. Equipped with SMD type LEDs.**Installation:** Holders and Plastic box that enable install inside walls or stairs.**Purpose:** Decorative illumination external and internal walls, stairs.


Item code	Color Temperature	Wattage	Luminous flux
182-15024	Blue	1.5 W	1lm
182-03024	Blue	1.5 W	1lm
182-030200	3000K	3 W	12lm

**LED B2161 Black****Description:** LED Decorative lamp.**Technical details:** Housing die cast aluminum, Glass frosted diffuser.**Installation:** On a wall or ceiling.**Purpose:** Decorative illumination external and internal walls, stairs.


Item code	Color Temperature	Wattage
183-15146	6000K	5 W
183-03146	6000K	5 W

**LED GD017 1.5W****Description:** LED Decorative lamp.**Technical details:** Housing die cast aluminum, powder coated anti-corrosion silver paint. Glass matt diffuser. Equipped with SMD type LEDs.**Installation:** Holders and Plastic box that enable install inside walls or stairs.**Purpose:** Decorative illumination external and internal walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
182-15240	3000K	1.5 W	8lm
182-03240	3000K	1.5 W	8lm

**LED C3091 Grey****Description:** LED Decorative lamp.**Technical details:** Housing of stainless steel. Diffuser of opal polycarbonate. Equipped with SMD type LEDs and electronic the driver.**Installation:** On a wall or ceiling.**Purpose:** Decorative illumination external and internal walls, stairs.


Item code	Color Temperature	Wattage
182-03304	6000K	10 W

**LED GD018 1.5W****Description:** LED Decorative lamp.**Technical details:** Housing die cast aluminum, powder coated anti-corrosion silver paint. Glass matt diffuser. Equipped with SMD type LEDs.**Installation:** Holders and Plastic box that enable install inside walls or stairs.**Purpose:** Decorative illumination external and internal walls, stairs.


Item code	Color Temperature	Wattage	Luminous flux
182-15242	3000K	1.5 W	8lm
182-03242	3000K	1.5 W	8lm

**LED C3075 Grey****Description:** LED Decorative lamp.**Technical details:** Housing of stainless steel. Diffuser of opal polycarbonate. Equipped with SMD type LEDs and electronic the driver.**Installation:** On a wall or ceiling.**Purpose:** Decorative illumination external and internal walls, stairs.


Item code	Color Temperature	Wattage
182-03303	6000K	10 W

**LED 1781 Silver 5W****Description:** LED Decorative lamp.**Technical details:** Housing die cast aluminum, silver color. Glass matt diffuser.**Installation:** On a wall or ceiling.**Purpose:** Decorative illumination external and internal walls, stairs.

Item code	Color Temperature	Wattage
182-15217	4500K	5 W

**LED C3089 Grey****Description:** LED Decorative lamp.**Technical details:** Housing of stainless steel. Diffuser of opal polycarbonate. Equipped with SMD type LEDs and electronic the driver.**Installation:** On a wall or ceiling.**Purpose:** Decorative illumination external and internal walls, stairs.

Item code	Color Temperature	Wattage	Luminous flux
182-15250	5000K	10 W	370lm
182-03250	5000K	10 W	370lm






LED C3124 Grey

Description: LED decorative lamp.

Technical details: Housing of stainless steel. Diffuser from opal polycarbonate. Equipped with SMD type LEDs and electronic driver.

Installation: On a wall or ceiling.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
182-03328	4000K	10 W




LED C3125 Grey

Description: LED decorative lamp.

Technical details: Housing of stainless steel. Diffuser from opal polycarbonate. Equipped with SMD type LEDs and electronic driver.

Installation: On a wall or ceiling.

Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
182-03330	4000K	10 W




LED B2235 4W Grey

Description: LED decorative lamp.

Technical details: Housing die cast aluminum. Opal diffuser polycarbonate. Equipped with SMD type LEDs and electronic driver.

Installation: On a wall or ceiling.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
182-15252	5000K	4 W	90lm
182-03252	5000K	4 W	90lm




X3000

Description: LED decorative lamp.

Technical details: Housing of aluminum, silver color. Optical diffuser.

Installation: On the wall, outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
182-15150	Blue	2 W	1.3lm




X3001

Description: LED decorative lamp.

Technical details: Housing of aluminum, silver color. Optical diffuser.

Installation: On the wall, outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
182-15155	Blue	3 W	1.1lm
182-15156	White	3 W	1.1lm




LED B250 20W Grey

Description: LED decorative lamp.

Technical details: Housing die cast aluminum. Diffuser from transparent glass. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
183-15210	5700K	20 W	1300lm




LED B250-2 40W Grey

Description: LED decorative lamp.

Technical details: Housing die cast aluminum. Diffuser from transparent glass. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
183-15215	5700K	2x20 W	2400lm




LED B2245 6W Grey

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with SMD type LEDs and electronic driver.

Installation: On the wall.

Purpose: Decorative illumination of external and internal walls, stairs.




Item code	Color Temperature	Wattage	Luminous flux
182-15254-dark grey	5000K	2x3 W	115lm
182-03254- grey	5000K	2x3 W	115lm




COB LED
Description: LED decorative lamp
Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.

Item code	Color Temperature	Wattage	Luminous flux
182-15256	5000K	4x3 W	230lm
182-03256	5000K	4x3 W	230lm




COB LED
Description: LED decorative lamp
Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.

Item code	Color Temperature	Wattage	Luminous flux
182-03259	3000K	3 W	260lm
182-032590	4000K	3 W	260lm
182-03260	5000K	3 W	260lm




COB LED
Description: LED decorative lamp
Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.

Item code	Color Temperature	Wattage	Luminous flux
182-03257	3000K	2x3 W	30lm
182-032570	4000K	2x3 W	30lm
182-03258	5000K	2x3 W	30lm




COB LED
Description: LED decorative lamp
Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.

Item code	Color Temperature	Wattage
183-03284	6000K	2x3 W




COB LED
Description: LED decorative lamp
Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.

Item code	Color Temperature	Wattage
183-03286	6000K	3 W



COB LED
Description: LED decorative lamp
Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.

Item code	Color Temperature	Wattage	Luminous flux
182-15266-dark grey	5000K	7 W	495lm
182-03266-grey	5000K	7 W	495lm






209G 2xGU10 Silver IP54

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with an electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
183-03264	5000K	2xGU10




LED B2325 Black

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
182-03306	4000K	2X1 W
182-03308	RGB	2X3 W




217G 1xGU10 Silver IP54

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with an electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
183-03262	5000K	1xGU10




LED B2326 Black

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
182-03310	4000K	4X1 W
182-03312	RGB	4X3 W




LED 308G 2W dark grey

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
182-03302	4000K	2 W




LED B2327 Black

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
182-03314	4000K	6X1 W
182-03316	RGB	6X3 W




LED 307G 4W dark grey

Description: LED decorative lamp

Technical details: Housing of die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.

Installation: On the wall.
Purpose: Decorative illumination of external and internal walls, stairs.



Item code	Color Temperature	Wattage
182-03300	4000K	4 W




LED B2265-T Grey E27

Description: LED decorative lamp.

Technical details: Housing die cast aluminum, silver color. Glass matt diffuser.

Installation: On a wall or ceiling.
Purpose: Decorative outdoor and interior walls, stairs.




Item code	Socket
182-03336	E27

**LED B2285 7W Black**

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.
Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.




Item code	Color Temperature	Wattage
182-03332	4000K	7 W

**843Y 12W Black**

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.
Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.




Item code	Color Temperature	Wattage
183-03271	4000K	12 W

**LED B2286 14W Black**

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.
Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.




Item code	Color Temperature	Wattage
182-03334	4000K	2x7 W

**843F 12W Black**

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.
Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.




Item code	Color Temperature	Wattage
183-03270	4000K	12 W

**318G 1xGU10 Grey IP54**

Description: LED decorative lamp.
Technical details: Housing from aluminum, Diffuser of faience glass.
Installation: On the wall.

Purpose: Decorative illumination external and internal walls.




Item code	Wattage
183-03254	1xGU10
183-03256	2xGU10

**F328/L 20W Black**

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.
Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.




Item code	Color Temperature	Wattage
183-03280	4000K	20 W


**807/S 5W Grey**

Description: LED decorative lamp.
Technical details: Housing die-cast aluminum. Clear glass diffuser. Equipped with LEDs type COB and electronic driver.
Installation: On the wall.

Purpose: Decorative illumination external and internal walls, stairs.




Item code	Color Temperature	Wattage
183-03268	4000K	5 W


**841F 12W Black IP65**

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.
Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
183-03273	4000K	12 W




841Y 12W Black

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.

Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
183-03274	4000K	12 W




F296A 10W Grey

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.

Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
183-03276	4000K	10 W




822 10W Grey

Description: LED decorative lamp.
Technical details: Housing die cast aluminum, Glass frosted diffuser.

Installation: On the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
183-03278	4000K	10 W




C3074

Description: LED Wall Light.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.
Installation: laid on the wall.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
C3074	181-033173	10 W




FD023-4 silver grey

Description: LED Wall Light.

Characteristics: Painted powder paint. Polycarbonate diffuser white color.

Installation: laid on the wall.
Purpose: Lighting open, public places as well premises requiring high degree of protection lamp against moisture and dust.



Item code	Color Temperature	Wattage
181-03414	4000K	20 W




816 9W Grey

Description: LED decorative lamp.

Technical details: Housing of stainless steel. Diffuser from opal polycarbonate. Equipped with SMD type LEDs and electronic driver.

Installation: On a wall or ceiling.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage
183-03282	6000K	3X3 W




FD016-1 6000K

Description: LED ceiling, wall lamp.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.

Installation: laid on the wall.
Purpose: Lighting open, public places as well as premises requiring a high degree lamp protection from moisture and dust.



Name	Item code	Wattage
FD 016-1	181-03404	20 W




FD016-4 6000K

Description: LED ceiling, wall lamp.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.

Installation: laid on the wall.
Purpose: Lighting open, public places as well as premises requiring a high degree lamp protection from moisture and dust.



Name	Item code	Wattage
FD 016-4	181-03406	20 W




FD014-3 4000k

Description: LED ceiling, wall lamp.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.

Installation: laid on the wall.

Purpose: Lighting open, public places as well as premises requiring a high degree lamp protection from moisture and dust.



Name	Item code	Wattage
FD 014-3	181-03402	20 W




FD023-2 4000k

Description: LED ceiling, wall lamp.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.

Installation: laid on the wall.

Purpose: Lighting open, public places as well as premises requiring a high degree lamp protection from moisture and dust.



Name	Item code	Wattage
FD 023-2	181-03412	20 W




FD014-2 4000k

Description: LED ceiling, wall lamp.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.

Installation: laid on the wall.

Purpose: Lighting open, public places as well as premises requiring a high degree lamp protection from moisture and dust.



Name	Item code	Wattage
FD 014-2	181-03400	20 W




FD023-1 6000k silver grey

Description: LED ceiling, wall lamp.

Characteristics: Painted powder paint. Diffuser made of white polycarbonate.

Installation: laid on the wall.

Purpose: Lighting open, public places as well as premises requiring a high degree lamp protection from moisture and dust.



Name	Item code	Wattage
FD 023-1	181-03410	20 W




LED 3229 12W Black IP54

Description: LED decorative lamp.

Technical details: Housing die cast aluminum. Opal diffuser polycarbonate. Equipped with LEDs like COB and electronic driver.

Installation: On the wall or horizontal surface.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Color Temperature	Wattage	Luminous flux
182-15274	4000K	12 W	1025lm
182-03274	4000K	12 W	1025lm




LED B2205 Grey E27

Description: LED decorative lamp.

Technical details: Housing die cast aluminum, silver color. Glass matt diffuser.

Installation: On the wall or horizontal surface.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Wattage
182-03318	E-27




LED B2206 Grey E27

Description: LED decorative lamp.

Technical details: Housing die cast aluminum, silver color. Glass matt diffuser.

Installation: On the wall or horizontal surface.

Purpose: Decorative outdoor and interior walls, stairs.



Item code	Wattage
182-03320	E-27



SOLAR PANEL TS0607-PIR

Description: Solar Wall


lamps with motion sensor.

Solar Panel:

monocrystalline silicon,

CTN size 5V / 2W 47 36 38.

Working time: 8 hours



Item code	Color Temperature	Wattage
183-03250	6000K	2 W



SOLAR PANEL LM0610

Description: Solar Wall


lamps with motion sensor.

Solar Panel:

monocrystalline silicon,

CTN size 5V / 2W 47 36 38.

Working time: 8 hours



Item code	Color Temperature	Wattage
183-03252	6000K	0.33 W



RGB LED

IP68

24v


LED F6008 RGB 9W

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. It is completed with special mount for installation lamp.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage
LED F6008 RGB 9W	210-03046	9 W



IP65

220v


R7300 3W Spike grey

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. It is completed with special mount for installation lamp.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage	Luminous flux	kg
R7300	210-15074	3x1 W	240lm	0.38
R7300	210-03074	3x1 W	240lm	0.38
R7300	210-15286	3x1 W		



IP65

220v

4000K


R7300L 6W Spike 4000K

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. It is completed with special mount for installation lamp.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage	Luminous flux	kg
R7300L 6W Spike	210-15077	6x1 W	480lm	0.94
R7300L 6W Spike	210-03077	6x1 W	480lm	0.94
Подземный держатель	210-150770			



IP65

220v

3000K

6000K


LED SP001 12W 6000K

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with an electronic driver.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative illumination of buildings, shrubs.



Name	Item code	Wattage
LED SP001 12W 3000K	210-15268	12 W
LED SP001 12W 6000K	210-15270	12 W
LED SP001 12W 6000K	210-03270	12 W



IP65

220v

6000K


LED SP002 18W 6000K

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with an electronic driver.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative illumination of buildings, shrubs.



Name	Item code	Wattage	Luminous flux	kg
LED SP002 18W 3000K	210-15272	18 W	990lm	0.97
LED SP002 18W 3000K	210-03272	18 W	990lm	0.97
LED SP002 18W 6000K	210-15275	18 W	990lm	0.97
LED SP002 18W 6000K	210-03275	18 W	990lm	0.97



COB LED

IP65

220v

6000K


GA010-SPIKE grey

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with electronic driver and LED type COB

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage	Luminous flux	kg
GA010-SPIKE	210-15078	10 W	695lm	0.53
GA010-SPIKE	210-03078	10 W	695lm	0.53




**LH5001-1 12V/300W**

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with electronic driver and LED type COB.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Lamp max. W
LH5001-1 White	210-15080	300 W
LH5001-1 Chrome	210-15081	300 W


**LED A1109 7W 5000K**

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with electronic driver and LED type COB.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage	Luminous flux	kg
LED A1109 7W	210-15085	7 W	420lm	0.82
LED A1109 7W	210-03085	7 W	420lm	0.82


**TD-D014 LED 3W COB**

Description: Lamp for fountain and decorative outdoor lighting.

Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with electronic driver and LED type COB.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage
TD-D014 LED 3W	210-15280	3 W
TD-D014 LED 3W	210-03280	3 W


**A1035 3W Grey 5000K**

Description: Lamp for fountain and decorative outdoor lighting.


Technical details: Housing cast aluminum diffuser from transparent glass. Equipped with electronic driver and LED type COB.

Installation: On the wall or horizontal surface.

Purpose: Outdoor decorative lighting buildings, bushes.



Name	Item code	Wattage
A1035 3W Grey	210-03300	3 W



**LED U121 3W 4000K**


Description: LED Ground recessed lamp.

Technical details: Housing aluminum lamp, diffuser-tempered glass. Polished ring of stainless steel. Equipped with electronic driver and, plastic base for installation into the ground.

Installation: built into the ground.

Purpose: Lighting of trees, bushes, sidewalks.

Name	Item code	Wattage	Luminous flux	kg
LED U121 3W	200-15262	3 W	60lm	0.24
LED U121 3W	200-03262	3 W	60lm	0.24

**LED U121 18W 4000K**


Description: LED Ground recessed lamp.

Technical details: Housing aluminum lamp, diffuser-tempered glass. Polished ring of stainless steel. Equipped with electronic driver and, plastic base for installation into the ground.

Installation: built into the ground.

Purpose: Lighting of trees, bushes, sidewalks.

Name	Item code	Wattage	Luminous flux
LED U121 18W	200-15268	18 W	720lm
LED U121 18W	200-03268	18 W	720lm

**LED U121 6W 4000K**


Description: LED Ground recessed lamp.

Technical details: Housing aluminum lamp, diffuser-tempered glass. Polished ring of stainless steel. Equipped with electronic driver and, plastic base for installation into the ground.

Installation: built into the ground.

Purpose: Lighting of trees, bushes, sidewalks.

Name	Item code	Wattage	Luminous flux
LED U121 6W	200-15264	6 W	180lm
LED U121 6W	200-03264	6 W	180lm
LED U121 6W	200-03266	9 W	450lm

**LED U124 18W 6000K**


Description: LED Ground recessed lamp.

Technical details: Housing aluminum lamp, diffuser-tempered glass. Polished ring of stainless steel. Equipped with electronic driver and, plastic base for installation into the ground.

Installation: built into the ground.

Purpose: Lighting of trees, bushes, sidewalks.

Name	Item code	Wattage	Luminous flux	kg
LED U124	200-15255	18 W	720lm	1.96
LED U124	200-03255	18 W	720lm	1.96

**LED U122 6W 5700K**


Description: LED Ground recessed lamp.

Technical details: Housing aluminum lamp, diffuser-tempered glass. Polished ring of stainless steel. Equipped with electronic driver and, plastic base for installation into the ground.

Installation: built into the ground.

Purpose: Lighting of trees, bushes, sidewalks.

Name	Item code	Wattage	Luminous flux	kg
LED U122	200-15245	6 W	180lm	0.64
LED U122	200-03245	6 W	180lm	0.64

**LED U123 9W 6000K**


Description: LED Ground recessed lamp.

Technical details: Housing aluminum lamp, diffuser-tempered glass. Polished ring of stainless steel. Equipped with electronic driver and, plastic base for installation into the ground.

Installation: built into the ground.

Purpose: Lighting of trees, bushes, sidewalks.

Name	Item code	Wattage	Luminous flux	kg
LED U123	200-15250	9 W	450lm	1.35
LED U123	200-03250	9 W	450lm	1.35





LED tape WHITE



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKSAN LED tape 2835/60 WHITE	582-15270	8W/M	220V	50 M	IP65
TEKLED LED tape 2835/60 WHITE	582-03205	4W/M	110V	50 M	IP65
TEKLED LED tape 2835/60 WHITE	582-03270	8W/M	220V	50 M	IP65
HAIGER LED tape 2835/60L WHITE	582-152694	4W	220V	100 M	IP20
HAIGER LED tape 2835/120L WHITE	582-15272	8W	220V	50 M	IP20
TEKSAN LED tape 3528/60 WHITE	582-15200	4W/M	220V	100 M	IP65
TEKSAN LED tape 3528/60 WHITE	582-15205	4W/M	110V	100 M	IP65
TEKLED LED tape 3528/60 WHITE	582-03200	4W/M	220V	100 M	IP65
TEKLED LED tape 3528/60 WHITE	582-03202	4W/M	110V	50 M	IP65
TEKSAN LED tape 5050/60 WHITE	582-15100	6.5W/M	110V	50 M	IP65
TEKSAN LED tape 5050/60 WHITE	582-15250	6.5W/M	220V	50 M	IP65
TEKSAN LED tape 5050/60 WHITE	582-15255	6.5W/M	110V	50 M	IP65
TEKLED LED tape 5050/60 WHITE	582-03252	6.5W/M	110V	50 M	IP65
TEKLED LED tape 5050/60 WHITE	582-03260	6.5W/M	220V	50 M	IP65



LED tape WARM WHITE



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKLED LED tape 2835/60 WARM WHITE	582-03268	5W/M	220V	50 M	IP65
TEKLED LED tape 2835/102 WARM WHITE	582-03269	10W/M	220V	50 M	IP65
TEKLED LED tape 2835/120L WARM WHITE	582-03272	22R 8MM	220V	100 M	IP65
HAIGER LED tape 2835/60L WARM WHITE	582-152692	4W	220V	100 M	IP20
HAIGER LED tape 2835/120L WARM WHITE	582-15271	8W	220V	50 M	IP20
TEKSAN LED tape 3528/60 WARM WHITE	582-15210	4W/M	220V	100 M	IP65
TEKSAN LED tape 3528/60 WARM WHITE	582-15215	4W/M	110V	100 M	IP65
TEKLED LED tape 3528/60 WARM WHITE	582-03210	4W/M	220V	100 M	IP65
TEKLED LED tape 3528/60 WARM WHITE	582-03212	4W/M	110V	50 M	IP65
TEKSAN LED tape 5050/60 WARM WHITE	582-15260	6.5W/M	220V	50 M	IP65
TEKSAN LED tape 5050/60 WARM WHITE	582-15265	6.5W/M	110V	50 M	IP65
TEKSAN LED tape 5050/60 WARM WHITE	582-15266	6.5W/M	110V	50 M	IP65
TEKLED LED tape 5050/60 WARM WHITE	582-03250	6.5W/M	220V	50 M	IP65
TEKLED LED tape 5050/60 WARM WHITE	582-03262	6.5W/M	110V	50 M	IP65
TEKLED LED tape 5050/60 WARM WHITE	582-03264	6.5W/M	110V	50 M	IP65



LED tape ORANGE



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKLED LED tape 2835/60L ORANGE	582-03271	7W/M	220V	50 M	IP65



LED tape RED



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKSAN LED tape 3528/60 RED	582-15220	4W/M	220V	100 M	IP65
TEKSAN LED tape 3528/60 RED	582-15225	4W/M	110V	100 M	IP65
TEKLED LED tape 3528/60 RED	582-03220	4W/M	220V	100 M	IP65
TEKLED LED tape 3528/60 RED	582-03222	4W/M	110V	50 M	IP65
HAIGER LED tape 5050/60L RED	582-152660	8W	220V	50 M	IP20
HAIGER LED tape 5050/60L RED	582-1526601	8W	220V	50 M	IP20

LED tape


Decorative LED tape series



LED tape GREEN




Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKSAN LED tape 3528/60 GREEN	582-15230	4W/M	220V	100 M	IP65
TEKSAN LED tape 3528/60 GREEN	582-15235	4W/M	110V	100 M	IP65
TEKLED LED tape 3528/60 GREEN	582-03230	4W/M	220V	100 M	IP65
TEKLED LED tape 3528/60 GREEN	582-03232	4W/M	110V	50 M	IP65
HAIGER LED tape 5050/60L GREEN	582-152661	8W	220V	50 M	IP20
HAIGER LED tape 5050/60L GREEN	582-1526611	8W	220V	50 M	IP20



LED tape BLUE



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKSAN LED tape 3528/60 BLUE	582-15240	4W/M	220V	100 M	IP65
TEKSAN LED tape 3528/60 BLUE	582-15245	4W/M	110V	100 M	IP65
TEKLED LED tape 3528/60 BLUE	582-03240	4W/M	220V	100 M	IP65
TEKLED LED tape 3528/60 BLUE	582-03242	4W/M	110V	50 M	IP65
TEKLED LED tape 3528/60 BLUE	582-03245	4W/M	110V	50 M	IP65
HAIGER LED tape 5050/60L BLUE	582-152662	8W	220V	50 M	IP20
HAIGER LED tape 5050/60L BLUE	582-1526621	8W	220V	50 M	IP20



LED tape PURPLE



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKLED LED tape 3528/60 PURPLE	582-03244	4W/M	220V	100 M	IP65
HAIGER LED tape 5050/60L PURPLE	582-152663	8W	220V	50 M	IP20
HAIGER LED tape 5050/60L PURPLE	582-1526631	8W	220V	50 M	IP20



LED tape RGB



Name	Item code	Wattage	Voltage	Role lenth	Protection class
TEKSAN LED tape 5050/60 RGB	582-15105	8W/M	110V	50 M	IP65
TEKLED LED tape 5050/60 RGB	582-03248	8W/M	110V	50 M	IP65
TEKLED LED tape 5050/60 RGB	582-03251	8.5W/M	220V	50 M	IP65
HAIGER LED tape 5050/60L RGB	582-152690	8W	220V	50 M	IP20



CONNECTOR

Name	Item code
TEKSAN CONNECTOR for 3528/220V	582-15310
TEKSAN CONNECTOR for 3528/110V	582-15312
TEKLED CONNECTOR for 3528/220V	582-03310
TEKSAN CONNECTOR for 5050/220V	582-15315
TEKSAN CONNECTOR for 5050/110V	582-15317
TEKLED CONNECTOR for 5050/220V	582-03315



NEEDLE / REMOTE CONTROL

Name	Item code
HAIGER NEEDLE 5MM pin	582-15374
HAIGER NEEDLE 8MM pin	582-15376
HAIGER NEEDLE RGB 5050 4 Pins	582-15378
TEKSAN CONTROLLER IR REMOTE RGB 24 keys	582-15365
HAIGER REMOTE CONTROL for 5050-60L 8W 220V RGB	582-15380
TEKLED TIP for LX5050/608A	582-03454



FASTENERS

Name	Item code
HAIGER FASTENERS for 2835-60L 5MM 220V	582-15288
HAIGER FASTENERS for 2835-120L 8MM 220V	582-15289
TEKSAN FASTENERS for 3528 220V	582-15280
TEKSAN FASTENERS for 3528 110V	582-15282
TEKSAN FASTENERS for 5050 220V	582-15285
TEKSAN FASTENERS for 5050 110V	582-15287
TEKLED FASTENERS for 3528/102L 220V	582-03275
TEKLED FASTENERS for 3528 / 220V	582-03280
TEKLED FASTENERS for 5050 / 220V	582-03285
TEKLED FASTENERS for LX 5050/60 8A	582-03456
HAIGER FASTENERS for 5050/60L 220V 8MM	582-15291
HAIGER FASTENERS for 5050/60L 220V RGB 10MM	582-15292



ADAPTOR

Name	Item code
TEKLED ADAPTOR for 2835/60 220V+игла 300W	582-03290
TEKLED ADAPTOR for 2835/102 220V+игла 300W	582-03292
HAIGER ADAPTOR for 2835/60L 220V	582-15303
HAIGER ADAPTOR for 2835/120L 220V	582-15304
TEKSAN ADAPTOR for 3528/220V+игла	582-15295
TEKSAN ADAPTOR for 3528/110V+игла	582-15297
TEKLED ADAPTOR for 3528/220V+игла	582-03295
TEKSAN ADAPTOR for 5050/220V+игла	582-15300
TEKSAN ADAPTOR for 5050/110V+игла	582-15302
TEKLED ADAPTOR for 5050/220V+игла	582-03300
TEKLED ADAPTOR for LX 5050/60 8A	582-03452
HAIGER ADAPTOR for 5050/60L 220V+игла 8MM	582-15306
HAIGER ADAPTOR for 5050/60L 8W 220V+игла 10MM	582-15308
TEKSAN ADAPTOR for RGB 8/10MM 110V	582-15360
TEKLED ADAPTOR for RGB 8/10MM 110V	582-03360



PLUGGERS

Name	Item code
TEKLED PLUGGERS for 2835/102L	582-03320
HAIGER PLUGGERS for 2835/60L 5MM 220V	582-15334
HAIGER PLUGGERS for 2835/120L 8MM 220V	582-15335
TEKSAN PLUGGERS for 3528/220V ОДНОЦВЕТНЫЙ	582-15325
TEKSAN PLUGGERS for 3528/110V	582-15327
TEKLED PLUGGERS for 3528/220V ОДНОЦВЕТНЫЙ	582-03325
TEKSAN PLUGGERS for 5050/220V ОДНОЦВЕТНЫЙ	582-15330
TEKSAN PLUGGERS for 5050/110V	582-15332
TEKLED PLUGGERS for 5050/220V ОДНОЦВЕТНЫЙ	582-03330
HAIGER PLUGGERS for 5050/60L 8MM 220V	582-15336
HAIGER PLUGGERS for 5050/60L RGB 10MM 220V	582-15337

