



# URBAN LIGHTING LUMINAIRES

## CONICA MONK GL05

LED urban  
lighting luminaires

Item code	260-03652
lamp type	LED
Wattage	50W
Luminous flux	3250lm
A Pole	Not included

## CONICA COWBOY GL05

LED urban  
lighting luminaires

Item code	260-03650
lamp type	LED
Wattage	50W
Luminous flux	5490lm
A Pole	Not included

## CONICA CAP GL05

LED urban  
lighting luminaires

Item code	260-03648
lamp type	LED
Wattage	50W
Luminous flux	7470lm
A Pole	Not included


## СВЕТИЛЬНИК GL05

LED urban  
lighting luminaires

Item code	260-03646 / 260-03654
lamp type	LED
Wattage	50W
Luminous flux	7470lm
A Pole	Not included




## POLES AND STANDS FOR URBAN LUMINAIRES.



### YONCA TEKLI 30W Grey


LED urban  
lighting luminaires



Item code	260-15590
lamp type	LED
Wattage	30W
Luminous flux	7470lm
A Pole	Not included


### LED YONCA IKILI 60W Grey

LED urban  
lighting luminaires




Item code	260-15592 / 260-03592
lamp type	LED
Wattage	60W
Luminous flux	5490lm
A Pole	Not included

## ATLANTA 50W Grey

LED urban  
lighting luminaires

Item code	260-15600 / 260-03600
lamp type	LED
Wattage	50W
Luminous flux	3250lm
A Pole	Not included
Driver	260-15602


## LED YONCA UCLU 90W Grey

LED urban  
lighting luminaires

Item code	260-15594 / 260-03594
lamp type	LED
Wattage	90W
Luminous flux	7470lm
A Pole	Not included



## LED GL05 50W Grey

LED urban  
lighting luminaires

Item code

260-15633 / 260-03633

lamp type

LED

Wattage

50W


Luminous flux

3000lm

A Pole

Not included

## LED ATAMAN Grey

LED urban  
lighting luminaires

Item code

260-03644

lamp type

LED

Wattage

70W

Luminous flux

9700lm

A Pole

Not included

## LED LB-83 50W Grey

LED urban  
lighting luminaires

Item code

260-15636 / 260-03636

lamp type

LED

Wattage

50W


Luminous flux

85lm

A Pole

259-15188 (столб продается отдельно)

## HQ-1372 Grey

LED urban  
lighting luminaires

Item code

260-15640

lamp type

LED

Lamp max. W

Corn LED 24

Socket

E27

gear

Her


A Pole

Not included






## LED YM6132A 100W

LED urban  
lighting luminaires

## PALERMO

Светильник lighting luminaires



Item code	260-155740 / 260-035740
lamp type	LED
Wattage	100W
Luminous flux	9400lm
A Pole	Not included

Item code	260-15520
lamp type	LED
Lamp max. W	60W
Socket	E27
gear	Hot
A Pole	Not included

## DECORATIVE POLES

Profile luminaires for outdoor lighting of streets, sidewalks, parks and other open public places.  
Luminaires are made from aluminium or steel profile.  
Luminaires can be painted with special anticorrosion paint.  
Luminaires can be painted in black, gray, light gray, white colors.

### Dimensions of luminaires:

Height from 3m to 4m.

Width from 48cm to 228cm.

Luminaires are installed by means of an underground fastening.



Item code 260-15702

Item code 260-15860


Item code 260-15716

Item code 260-15626

Item code 260-15622

Item code 260-15618

Item code 260-15742



## DECORATIVE POLES

Profile luminaires for outdoor lighting of streets, sidewalks, parks and other open public places.  
Luminaires are made from aluminium or steel profile.  
Luminaires can be painted with special anticorrosion paint.



### Dimensions of luminaires:

Height from 3m to 4m.

Luminaires are installed by means of an underground fastening.

# HAITEK





## DECORATIVE GARDEN-PARK LUMINAIRES

Luminaires are made from a profile from 80 to 120 mm. and can have a height of up to 3500mm.

### Technical details:

Housing are made of steel of aluminium profile, covered with a polymeric zinc-containing primer, primer for protection against corrosion and painted with powder paint.

Diffuser made of opal PAAAAA.

Equipped with an electronic driver and LED strip type SAAD.

### Wattage:

36W. Color temperature: 5000K.

Protection category IP-55. Installation: On a horizontal surface, floor, lawn, etc.

### Purpose:

Outdoor Lighting.



**Technical details:**

Housing are made of steel of aluminium profile, covered with a polymeric zinc-containing primer, primer for protection against corrosion and painted with powder paint.

Diffuser made of opal PAAAAA.

Equipped with an electronic driver and LED strip type SAAD.

**Wattage:**

36W. Color temperature: 5000K.

Protection category IP-55. Installation: On a horizontal surface, floor, lawn, etc.

**Purpose:**

Outdoor Lighting.

Luminaires are made from a profile from 80 to 120 mm. and can have a height of 750mm to 2000mm.



## DECORATIVE GARDEN-PARK LUMINAIRES

**TOMIRIS**  
Item code 261-15004



**GULL**  
Item code 261-15122



**MONIKA**  
Item code 261-15140



**ANFICA**  
Item code 261-15074



**VANESSA**  
Item code 261-15074  
Item code 261-15080



**LINDA**  
Item code 261-15112



**DEKORATIF SUN**  
Item code 261-15134



**DEKORATIF BIRD**  
Item code 261-15136



**DEKORATIF GLORIA**  
Item code 261-15138

