

SPOTLIGHTS



Spot LED oc

Description: Recessed luminaire for suspended ceilings.

Characteristics: Housing painted with powder paint or chrome-plated.

Installation: Is built into the ceiling with the help of holders.

Name	Item code	Temperature	Wattage	P	Photo Nº
Led OC011 5W WHITE GOLD	144-15440	5000K	5 W	75мм	1
Led 0C012 5W WHITE GOLD	144-15442	5000K	5 W	75мм	i
Led OC017 5W WHITE GOLD	144-15444		5 W	75мм	2
Led OC016 5W BLACK GOLD	144-15446	5000K	5 W	75мм	5
Led OC028 5W BLACK GOLD	144-15448		5 W	75мм	5
LED OC005 5W WHITE GOLD	144-15450	5000K	5 W	75мм	6
Led OC012 5W WHITE GOLD	144-154430		5 W	75мм	3
Led OC017 5W GREY GOLD	144-154450	3000K	5 W	75мм	7
Led OC016 5W BLACK GOLD	144-154470	3000K	5 W	75мм	4

















Description: Recessed luminaire for suspended ceilings.

Characteristics: Chrome-plated housing.

Installation: Is built into the ceiling with the help of holders.

Purpose: Offices, shops, corridors, etc.

Name	Item code	Temperature	Wattage	P	Photo Nº
LED COB 02 CHROME 5W	145-15000	5000K	5 W	70мм	1
LED COB WHITE 5W	145-15002	5000K	5 W	70мм	
	145-030011	4000K	5 W	70мм	
LED COB 02 CHROME 5W	145-030012	6000K	5 W	70мм	
	145-150012	5700K	5 W	70мм	
LED COB WHITE 5	145-030020	6000K	5 W	70мм	
	145-150020	5700K	5 W	70мм	







Spot LED COB

Description: Recessed spotlight MR16 for false ceilings.

Characteristics: When using a COB 3W / 5W lamp, CHROME 5000K (144-15996 / 9) creates an effect decorative lighting, not swivel.

Installation: Built into the ceiling using holders.

Name	Item code	Temperature	Wattage	P	Photo Nº	
LED COB BRONZE 5W	145-03056	4000K	5 W	70мм	1	
LED M101W COB ROUND WHITE 1W	145-03060	4500K	1 W	70мм	2	
LED M101W COB SQUARE WHITE 1W	145-03062		1 W	70мм	3	
LED M102W COB SQUARE WHITE 3W	145-03064	4500K	3 W	70мм	4	
LED MIDSW COR POUND WHITE SW	145-03066	4500K	3 W	70мм	5	






















Spot ZP/TC Series

Descrip

Charact

Installa

	М
ption: Used with reflector, LED or energy-saving lamps.	10
cteristics: Ceramic housing with a pattern.	<u> </u>
ation: Is built into the ceiling with the help of holders.	1
(2)	

Name	Item code	Socket	Wattage	N/P	Photo Nº
TC-01 Round	144-15816	GU5.3	3 W	60мм	1
TC-02 Round	144-15818	GU5.3	3 W	60мм	2
	144-15820	GU5.3		60мм	3
TC-04 Round	144-15822	GU5.3		60мм	4
	144-15824	GU5.3		60мм	5
TC-06 Round	144-15826	GU5.3	3 W	60мм	6
	144-15828	GU5.3		60мм	7
TC-03 Round	144-03820	GU5.3	3 W	60мм	3
	144-03822	GU5.3		60мм	4
ZP-111-1 ROUND	144-15830	GU5.3	3 W	60мм	8
	144-15832	GU5.3		60мм	9
ZP-111-3 ROUND	144-15834	GU5.3	3 W	60мм	10
	144-15836	GU5.3		60mm	11
ZP-111-5 ROUND	144-15838	GU5.3	3 W	60мм	12
	144-15840	GU5.3		60mm	13
ZP-111-1 ROUND	144-03830	GU5.3	3 W	60мм	8
	144-03836	GU5.3		60мм	- 11





Description: Recessed spotlight MR16

for false ceilings.

When using a lamp

COB 3W / 5W CHROME 5000K (144-15996 / 9)

creates an effect


decorative lighting, not swivel.

Installation: Built into the ceiling

using holders.

Purpose: Residential premises, offices,


shops, corridors, furniture, shop windows, etc.



Name	Item code	Socket	Wattage	P	Photo Nº
LED XN-0210 PURPLE	144-15460	GU5.3	3 W	60мм	1
LED XN-0210 PINK	144-15462	GU5.3	3 W	60мм	2
	144-15464	GU5.3		60mm	3
LED XN-0210 BROWN	144-15466	GU5.3	3 W	60мм	4
	144-15468	GU5.3		60мм	5
LED XN-0210 BLUE	144-15470	GU5.3	3 W	60mm	6
	144-15472	GU5.3		60mm	7

Name	Item code	Socket	Wattage	P	Photo Nº
LED XN-0215 PURPLE	144-15474	GU5.3	3 W	60мм	8
LED XN-0215 PINK	144-15476	GU5.3	3 W	60мм	9
	144-15478	GU5.3	3 W	60мм	10
LED XN-0215 BROWN	144-15480	GU5.3	3 W	60mm	11
	144-15482	GU5.3	3 W	60mm	12
LED XN-0215 BLUE	144-15484	GU5.3	3 W	60мм	13
	144-15486	GU5.3	3 W	60мм	14
LED XN-0219 PURPLE	144-15490	GU5.3	3 W	60мм	15
	144-15492	GU5.3	3 W	60мм	16
LED XN-0219 GREEN	144-15494	GU5.3	3 W	60мм	17
	144-15496	GU5.3	3 W	60мм	18
LED XN-0219 GOLD	144-15498	GU5.3	3 W	60мм	19
	144-15500	GU5.3	3 W	60mm	20
LED XN-0219 WHITE	144-15502	GU5.3	3 W	60мм	21
	144-03466	GU5.3	3 W	60мм	4
LED XN-0210 WHITE	144-03472	GU5.3	3 W	60мм	7
	144-03480	GU5.3	3 W	60мм	11
LED XN-0215 WHITE	144-03486	GU5.3	3 W	60мм	14
	144-03496	GU5.3	3 W	.60мм	18
LED XN-0219 GOLD	144-03498	GU5.3	3 W	60мм	19
LED XN-0219 WHITE	144-03502	GU5.3	3 W	60мм	21





2

Z Spot Series

Description: Used with reflector, LED or energy-saving lamps.

Characteristics: Glass housing with a pattern.

Installation: Is built into the ceiling with the help of holders.









Name	Item code	Socket	Wattage	N/	Photo Nº
QZFG-01 Round	144-15800	GU5.3	3 W	60мм	i i
QZFG-01 Square	144-15802	GU5.3	3 W	60мм	2
	144-15804	GU5.3		60мм	3
QZFG-02 Square	144-15806	GU5.3	3 W	60мм	4
	144-15808	GU5.3		60мм	5
QZHX-01 Square	144-15810	GU5.3	3 W	60мм	6
	144-15812	GU5.3		60мм	7
QZFG-03 Square	144-15814	GU5.3	3 W	60мм	8






















Spot LED SPD Series

Description: Used with reflector, LED or energy-saving lamps.

Characteristics: Glass housing with a pattern.

Installation: Is built into the ceiling with the help of holders.

Purpose: Offices, shops, corridors, etc.

Name	Item code	Temperature	Wattage	P	Photo Nº
ED SPD-X30T ROUND GOLD SILVER 3W	144-03330	5000K	3 W	60мм	1
ED SPD-X30T SQUARE GOLD SILVER 3W	144-03333	5000K	3 W	60мм	2
	144-033330	5000K	3 W	60мм	3
ED SPD-X30T ROUND 3W	144-15330	5000K	3 W	60мм	1
	144-15333	5000K	3 W	60мм	2
ED SPD-X30T 3W ROUND GOLD	144-03271	5000K	3 W	60мм	4
	144-15271	5000K	3 W	60мм	4
ED SPD-X30T 3W SQUARE	144-15274	5000K	3 W	60мм	5
	144-03408	5000K	3 W	60мм	6
ED SPD-X30T 3W ROUND WHITE GOLD	144-15408	5000K	3 W	60мм	6
	144-15411	5000K	3 W	60мм	3
ED SPD-YXYHD SQUARE WHITE BLACK	144-03390	5000K	3 W	60мм	=
ED SPD-YXYHD ROUND WHITE BLACK	144-15390	5000K	3 W	60мм	7
ED SPD-YXYHD SQUARE WHITE BLACK	144-15393	5000K	3 W	60мм	8
ED SPD-DBWFDF ROUND 3W	144-15318	5000K	3 W	60мм	g







60мм 60мм












































Spot LED QX/HH-ZQQ/HZ-QQ/QS/JC Series Description: Used with reflector, LED or energy-saving lamps. Characteristics: Glass housing with a pattern. Installation: Is built into the ceiling with the help of holders. Purpose: Offices, shops, corridors, etc.







Name	Item code	Temperature	Wattage	P	Photo Nº
LED QX4-470 ROUND GOLD	144-03265	5000K	3 W	60mm	
LED QX4-470 SQUARE 3W	144-15268	5000K	3 W	60mm	2
LED QX8-W255 ROUND GOLD 3W	144-03306	5000K	3 W	60мм	3
LED QX8-W255 SQUARE GOLD 3W	144-03309	5000K	3 W	60мм	4
LED JL QX-11 ROUND GOLD	144-03336	5000K	3 W	60мм	5
LED JL QX4-245-BR ROUND 3W	144-15336	5000K	3 W	60мм	5
LED QX4-245 SQUARE 3W	144-15339	5000K	3 W	60мм	
LED QX13 SQUARE SILVER	144-03373	5000K	3 W	60мм	7
LED QX8-W428 ROUND PINK WHITE	144-03289	5000K	3 W	60мм	8
LED QX8-W428 SQUARE 3W	144-15292	5000K	3 W	60мм	9
LED QX5-JK85 ROUND WHITE 3W	144-03348	5000K	3 W	60мм	10
LED QX5-JK85 SQUARE 3W	144-15351	5000K	3 W	60мм	11
LED QX5-JK85 SQUARE WHITE	144-033510	5000K	3 W	60мм	12
LED QX5-JK145 ROUND BLACK GOLD	144-03402	5000K	3 W	60мм	13
LED QX5-JK145 ROUND BLACK GOLD	144-15402	5000K	3 W	60мм	13
LED QX5-JK145 SQUARE 3W	144-15405	5000K	3 W	60мм	14
LED QX8-W699 ROUND GOLD	144-03406	5000K	3 W	60mm	15
LED QX8-W699 SQUARE GOLD	144-03407	5000K	3 W	60mm	16
LED QX6-J271 ROUND 3W	144-15230	5000K	3 W	60мм	17
LED QX6-J271 SQUARE 3W	144-15233	5000K	3 W	60мм	18
LED QX4-451 ROUND 3W	144-15236	5000K	3 W	60mm	19
LED QX4-451 SQUARE 3W	144-15239	5000K	3 W	60мм	20
LED QX4-500 ROUND 3W	144-15241	5000K	3 W	60мм	21
LED QX4-500 SQUARE 3W	144-15244	5000K	3 W 3 W	60мм	22
LED QX8-427 ROUND 3W	144-15247	5000K	3 W	60mm	23
LED QX8-427 SQUARE 3W	144-15250	5000K	3 W	60мм	24
LED QX4-453 ROUND 3W LED QX4-453 SQUARE 3W	144-15259	5000K	3 W	60mm	25 26
LED QX4-470 ROUND 3W	144-15262 144-15265	5000K 5000K	25000	60mm	444444
LED QX GOLD ROUND 3W	144-15203	5000K	3 W 3 W	60mm 60mm	27
LED QX GOLD SQUARE 3W	144-15280	5000K	3 W	60мм	28
LED QX SILVER ROUND 3W	144-15283	5000K	3 W	60mm	29
LED QX SILVER SQUARE 3W	144-15286	5000K	3 W	60mm	30
LED QX8-W428 ROUND 3W	144-15289	5000K	3 W	60мм	8
LED QX4-452 ROUND 3W	144-15295	5000K	3 W	60mm	31
LED QX4-452 SQUARE 3W	144-15298	5000K	3 W	60мм	32
LED QX8-W255 ROUND 3W	144-15306	5000K	3 W	60мм	3
LED QX8-W255 SQUARE 3W	144-15309	5000K	3 W	60мм	4
LED QX4-453 ROUND 3W	144-15312	5000K	3 W	60мм	33
LED QX4-453 SQUARE 3W	144-15315	5000K	3 W	60мм	34
LED QX8-W255 ROUND 3W	144-15342	5000K	3 W	60мм	35
LED QX8-W255 SQUARE 3W	144-15345	5000K	3 W	60мм	36
LED QX5-JK85 ROUND 3W	144-15348	5000K	3 W	60мм	10
LED QX8-W256 ROUND 3W	144-15354	5000K	3 W	60мм	37
LED QX8-W256 SQUARE 3W	144-15357	5000K	3 W	60mm	38
LED QX8-W699 ROUND 3W	144-15360	5000K	3 W	60мм	39
LED QX8-W699 SQUARE 3W	144-15363	5000K	3 W	60мм	
LED QX4-346 ROUND 3W	144-15366	5000K	3 W	60мм	
LED QX4-346 SQUARE 3W	144-15369	5000K	3 W	60мм	
JL QX-Z-49-W-R ROUND 3W	144-15372	5000K	3 W	60мм	43
LED QXZ-49 SQUARE 3W	144-15375	5000K	3 W	60мм	44
LED QX6-J246 ROUND 3W	144-15378	5000K	3 W	60мм	45
LED QX6-J246 SQUARE 3W	144-15381	5000K	3 W	60mm	46
LED QX5-JK127 ROUND 3W	144-15396	5000K	3 W	60mm	47
LED QX5-JK127 SQUARE 3W	144-15399	5000K	3 W	60мм	48
LED FENGWEI ROUND SILVER BLACK	144-03253	5000K	3 W	60мм	49
LED FENGWEI ROUND SILVER BLACK	144-15253	5000K	3 W	60mm	49
LED FENGWEI SQUARE SILVER BLACK	144-15256	5000K	3 W	60мм	50
LED HH-ZQQ ROUND 3W	144-03300	5000K	3 W	60mm	51
LED HH-ZQQ ROUND 3W	144-15300	5000K	3 W	60mm	51
LED HH-ZQQ SQUARE 3W	144-15303	5000K	3 W	60mm	52
LED HZ-QQ ROUND BLACK GOLD 3W	144-03414	5000K	3 W	60мм	53
LED HZ-QQ ROUND BLACK GOLD 3W	144-15414 144-15417	5000K 5000K	3 W	60mm 60mm	53 54
THE THE PURE STOUGHT IN AUTOMOTE IN AUTOMO	1444-1741/	200 HK	5 W	DI IMM	











Name	Item code	Temperature	Wattage	18	Photo Nº
LED JL QS-S28B ROUND 3W	144-15420	5000K	3 W	60мм	55
LED QS-S28B SQUARE 3W	144-15423	5000K	3 W	60мм	
	144-03426	5000K	3 W	60мм	
LED QS-G27AB ROUND GREY 3W	144-15426	5000K	3 W	60мм	
	144-03429	5000K	3 W	60мм	
LED QS-G27AB SQUARE GREY 3W	144-15429	5000K	3 W	60мм	
LED JC65648-1 GREY BLACK	144-03432	5000K	3 W	60мм	
LED JC65648-1 GREY BLACK	144-15432	5000K	3 W	60мм	
LED JC65648-1 SQUARE GREY BLACK	144-03433	5000K	3 W	60мм	
LED JC65648-1 SQUARE GREY BLACK	144-15433	5000K	3 W	60мм	
LED JC65648-2 SQUARE 2X3W	144-15435	5000K	6 W	90х170мм	
LED JC65648-3 SQUARE 3X3W	144-15438	5000K	9 W	90х255мм	







Spot Mr16 Series

Description: Recessed luminaire for suspended ceilings.

Characteristics: Housing painted with powder paint or chrome-plated.

Used with halogen, energy-saving and LED lamps with a diameter of 51mm.

Lamps can be type of JCDR [220V] or MR16 (12V) - used through a transformer.

 $\textbf{Installation:} \ \text{Is built into the ceiling with the help of holders.}$

Purpose: Offices, shops, corridors, furniture, showcases, etc.



Name	Item code	Socket	Wattage	P	Photo Nº
Mr16 4009 CH	143-15613	GU5.3	70 W	60мм	1
MR16 1205AK SN	143-15633	GU5.3	70 W	60мм	2
MR16 1205AK GCH	143-15641	GU5.3		60мм	3
Mr16 1210 AK G	143-15655	GU5.3	50 W	60мм	4
	143-15659	GU5.3		60мм	5
MR16 1220A SN	143-15665	GU5.3	50 W	60мм	6
	143-15667	GU5.3		60мм	7
Mr16 1230A RAB	143-15671	GU5.3	50 W	60мм	8
	143-15677	GU5.3		60мм	9
MR16 1216 GMG	143-15682	GU5.3	50 W	60мм	10
	143-15685	GU5.3		60мм	11
Mr16 1217 RAB	143-15686	GU5.3	50 W	60мм	12
	143-15691	GU5.3		60мм	13
MR16 1240 GAB	143-15821	GU5.3	50 W	60мм	14
	143-15633	GU5.3		60мм	2
Mr16 1205 AK GCH	143-15641	GU5.3	50 W	60мм	3



13

12

14

SPUILIGHI



Spot MR16 vs Series

Description: Recessed spotlight MR16 for suspended ceilings.

Characteristics: Used with halogen, energy-saving or LED lamps type JCDR (220V) or

MR16 (12V) - through the transformer.

Installation: Is built into the ceiling with the help of holders.

Purpose: Offices, shops, corridors, furniture, showcases, etc.




Name	Item code	Socket	Wattage	1 P	Photo Nº
Mr16 YS5059 GOLD	143-03856	GU5.3	20 W	59мм	1
MR16 YS5059 OIL COFFEE+GOLD	143-03858	GU5.3	20 W	59мм	2
MR16 YS5059 SHINE COFFEE+GOLD	143-03860	GU5.3		59мм	2
MR16 YS5059 SHINE BLUE+GOLD	143-03861	GU5.3	20 W	59мм	4
	143-03862	GU5.3		59мм	5
MR16 YS5094 GOLD	143-03876	GU5.3	20 W	59мм	6
	143-03878	GU5.3		59мм	7
MR16 YS5057 COFFEE GOLD	143-03882	GU5.3	20 W	59мм	8
	143-03884	GU5.3		59мм	9
MR16 YS5084 OIL PINK GOLD	143-03886	GU5.3	20 W	59мм	10
	143-03888	GU5.3		59мм	11
MR16 Ys5055 WHITE+GOLD	143-03890	GU5.3	20 W	59мм	12
MR16 YS5055 GOLD	143-038900	GU5.3	20 W	59мм	13
MR16 YS5055 SILVER+GOLD	143-03892	GU5.3	20 W	59мм	14
MR16 YS5053 CHAMPAIGN+GOLD	143-03896	GU5.3	20 W	59мм	15
MR16 YS5097 SILVER+GOLD	143-03900	GU5.3	20 W	59мм	16
MR16 YS5054 GOLD	143-03904	GU5.3	20 W	59мм	17
MR16 YS5091 WHITE+GOLD	143-03908	GU5.3	20 W	59мм	18
MR16 YS5058 CHAMPAIGN+GOLD	143-03924	GU5.3	20 W	59мм	19
MR16 YS5117 SHINE SILVER+GOLD	143-03930	GU5.3	20 W	59мм	20
MR16 YS5118 SHINE SILVER+GOLD	143-03932	GU5.3	20 W	59мм	3
MR16 YS5119 SHINE SILVER+GOLD	143-03934	GU5.3	20 W	59мм	21
MR16 YS5124 SHINE SILVER+GOLD	143-03936	GU5.3	20 W	59мм	22
MR16 YS5018 GREEN+GOLD	143-15920	GU5.3	50 W	60мм	23
Mr16 YS5088 GOLD+WHITE	143-15916	GU5.3	50 W	60мм	24
Mr16 YS5058 CHAMPAIGNE+GOLD	143-15924	GU5.3	20 W	60мм	19
Mr16 Ys5117 SHINE SILVER+GOLD	143-15930	GU5.3	20 W	60мм	20
Mr16 YS5088 GOLD+WHITE	143-03916	GU5.3	50 W	60мм	24
Mr16 YS5118 SHINE SILVER+GOLD	143-15932	GU5.3	20 W	60мм	19
Mr16 Ys5119 SHINE SILVER+GOLD	143-15934	GU5.3	20 W	60мм	21
Mr16 Ys5124 SHINE SILVER+GOLD	143-15936	GU5.3	20 W	60мм	22
Mr16 YS5097 SILVER+GOLD	143-15900	GU5.3	50 W	60мм	25
Mr16 YS5097 GREEN+GOLD	143-159000	GU5.3	50 W	60мм	26
YS5058 BLUE+SILVER	143-15928	GU5.3	50 W	60мм	27
Mr16 YS5099 Coffee+Gold	143-15850	GU5.3	50 W	60мм	28
YS5051 OIL PINK+GOLD	143-15864	GU5.3	50 W	60mm	29
YS5051 RED+GOLD	143-15866	GU5.3	50 W	60мм	30
MR16 YS5057 Green+Gold	143-15880	GU5.3	50 W	60мм	31
Mr16 YS5016 Green+Gold	143-15912	GU5.3	50 W	60MM	32
Mr16 YS5084 WHITE	143-158880	GU5.3	50 W	60mm	33
Mr16 YS7001 MARBLE+GOLD	143-15868	GU5.3	50 W	60мм	34
Mr16 YS7003 MARBLE+GOLD	143-15872	GU5.3	50 W	60мм	35











LED lamp COB Chrome 5W/3W

Description: LED lamp for recessed glass spotlights Mr16.



Installation: Is built in inside the spotlights with the help of holders.

Purpose: Residential premises, offices, shops, corridors, furniture, showcases, etc.

Name	Item code	Luminous Flux	Wattage
LED COB 5W CHROME 5000K	144-15996	390lm	5 W
LED COB 3W CHROME 5000K	144-15999	390lm	3 W

FRAME FOR MR16 BA

Description: Frames for recessed luminaires in suspended ceilings.
Technical details: The case is painted with powder paint or chrome.
It is used with halogen, energy-saving or LED lamps with a diameter of 51mm.
The lamps can be of the type JCDR (220V) or MR16 (12V) used through a transformer.
A decorative diffuser in the shape of a prism creates a unique lighting effect.
Installation: Built into the ceiling using holders.
Purpose: Offices, shops, corridors, furniture, show-windows, etc.

Name	Item code	\mathscr{S}	Photo Nº
Mr16 BA249SQ M.WHITE	143-15938	63мм	1
Mr16 BA251SQ M.WHITE	143-15940		2
Mr16 B1176W M.WHITE	143-15942		3
Mr16 B1176W M.WHITE	143-03942	63мм	3
Mr16 B1159W M.WHITE	143-03946		
MR16 BA257 ROUND M.WHITE	143-03954		
MR16 BZ306 SQUARE SN	143-03956		
Mr16 BI177 ROUND IRON	143-03958		
METE BASES SOLIADE ALLIMINIUM	143_03060		







Description: Frames for recessed luminaires in suspended ceilings. Technical details: The case is painted with powder paint or chrome. It is used with halogen, energy-saving or LED lamps with a diameter of 51mm.
The lamps can be of the type JCDR (220V) or MR16 (12V) used through a transformer.
A decorative diffuser in the shape of a prism creates a unique lighting effect.
Installation: Built into the ceiling using holders.
Purpose: Offices, shops, corridors, furniture, show-windows, etc.

LED IT MR16	L.ED JCDR
<u>♦ ♦ ♦</u> IP20	12v
	220v

Name	Item code	P	Photo Nº
Mr16 B1159W CHROME	143-15948	63мм	1
MR16 BA142 ROUND M.WHITE	143-15950	63мм	2
MR16 BA142 SQUARE M.WHITE	143-15952		3





