








INDOOR LUMINAIRES

KAMELYA

TINY • MINI • STANDARD • MAXI

CLEAR
series

TINY

TINY LED

MINI

MINI LED

STANDARD

STANDARD LED

MAXI

MAXI LED

Item code	Socket
122-15091	E27

Item code	Color Temperature	Wattage	Luminous Flux
122-15700	3000K	12W	1161lm
122-15705	4000K	12W	1161lm
122-157050	6000K	12W	1161lm

Item code	Socket
122-15110	E27





Item code	Color Temperature	Luminous Flux	Wattage
122-15730	3000K	1698lm	18W
122-15735	4000K	1698lm	18W
122-157350	6000K	1698lm	18W

Item code	Socket
122-15210	2xE27

Item code	Color Temperature	Luminous Flux	Wattage
122-15770	3000K	1810lm	18W
122-15775	4000K	1810lm	18W
122-157750	6000K	1810lm	18W

Item code	Socket
122-15310	2xE27
122-15330	3xE27

Item code	Color Temperature	Luminous Flux	Wattage
122-15805	4000K	2150lm	22W
122-158050	6000K	2150lm	22W
122-15830	4000K	1700lm	30W
122-15735	3000K	1700lm	30W

WHITE
OPAL

Item code	Color Temperature	Wattage	Luminous Flux
122-15710	3000K	12W	860lm
122-15715	4000K	12W	860lm
122-157150	6000K	12W	860lm

Item code	Color Temperature	Luminous Flux	Wattage
122-15740	3000K	1200lm	18W
122-15745	4000K	1200lm	18W
122-157450	6000K	1200lm	18W

Item code	Color Temperature	Luminous Flux	Wattage
122-15780	3000K	1215lm	18W
122-15785	4000K	1215lm	18W
122-157850	6000K	1215lm	18W

Item code	Color Temperature	Luminous Flux	Wattage
122-15810	4000K	1470lm	22W
122-158100	6000K	1470lm	22W
122-15832	4000K	2340lm	30W

TINY LED

MINI LED

STANDARD LED





MAXI LED

KAMELYA

TINY · MINI · STANDART · MAXI

COLOUR series

Kamelya luminaires have next color solutions of corps:



TINY COLOUR

Color	Item code	Socket
BLACK	122-15094	E27
BLUE	122-15096	E27
RED	122-15098	E27
ORANGE	122-15100	E27

MINI COLOUR

Color	Item code	Socket
BLACK	122-15113	E27
BLUE	122-15114	E27
RED	122-151140	E27
ORANGE	122-151141	E27

STANDART COLOUR




Color	Item code	Socket
BLACK	122-15220	2xE27
BLUE	122-15223	2xE27
RED	122-15226	2xE27
ORANGE	122-15229	2xE27



MANOLYA

MINI · STANDARD · MAXI

CLEAR series



MINI

Item code	Socket
122-15103	E27

MINI LED

Item code	Color Temperature	Luminous Flux	Wattage
122-15720	3000K	1700lm	18W
122-15725	4000K	1700lm	18W
122-157250	6000K	1700lm	18W

STANDARD LED

Item code	Socket
122-15203	2xE27

Item code	Color Temperature	Luminous Flux	Wattage
122-15760	3000K	1780lm	18W
122-15765	4000K	1780lm	18W
122-157650	6000K	1780lm	18W

MAXI

Item code	Socket
122-15303	2xE27
122-15325	3xE27

MAXI LED

Item code	Color Temperature	Luminous Flux	Wattage
122-15800	4000K	2135lm	22W
122-158000	6000K	2135lm	22W
122-15825	4000K	3005lm	30W

COLOUR



Manolya luminaires have next color solutions of corps:



Color	Item code	Socket
BLACK	122-15106	E27
BLUE	122-15107	E27
RED	122-15108	E27
ORANGE	122-15109	E27




Color	Item code	Socket
BLACK	122-15206	2xE27
BLUE	122-15207	2xE27
RED	122-15208	2xE27
ORANGE	122-15209	2xE27

MINI COLOUR
STANDARD COLOUR

AKASYA

MINI · STANDART · MAXI

CLEAR series



MINI

LED

MINI

STANDART

LED

STANDART

MAXI

LED

MAXI

Item code	Socket
122-15115	E27

Item code	Color Temperature	Luminous Flux	Wattage
122-15750	3000K	1610lm	18W
122-15755	4000K	1610lm	18W
122-157550	6000K	1610lm	18W


Item code	Socket
122-15215	2xE27

Item code	Color Temperature	Luminous Flux	Wattage
122-15790	3000K	1675lm	18W
122-15795	4000K	1675lm	18W
122-157950	6000K	1675lm	18W

Item code	Socket
122-15315	2xE27
122-15335	3xE27

Item code	Color Temperature	Luminous Flux	Wattage
122-15815	4000K	2035lm	22W
122-158150	6000K	2035lm	22W
122-15840	4000K	2895lm	30W

COLOUR



Akasya luminaires have next color solutions of corps:



Color	Item code	Socket
BLACK	122-15119	E27
BLUE	122-15121	E27
RED	122-15123	E27
ORANGE	122-15125	E27

Color	Item code	Socket
BLACK	122-15218	2xE27
BLUE	122-15219	2xE27
RED	122-152190	2xE27
ORANGE	122-152191	2xE27

MINI COLOUR
STANDART COLOUR

YASEMIN


MAXI

CLEAR
series

MAXI LED


Item code	Socket
122-15325	2xE27
122-15340	3xE27

Item code	Color Temperature	Luminous Flux	Wattage
122-15820	4000K	2130lm	22W
122-158200	6000K	2130lm	22W

CLEAR
series

UFO

TINY • MINI • STANDART • MAXI



Ufo luminaires
have next color
solutions of corps:



Item code	Temperature	Wattage	Luminous Flux
122-15900	4000K	12W	880lm
122-159000	6000K	12W	880lm

Item code	Color Temperature	Luminous Flux	Wattage
122-15910	4000K	1200lm	18W

Item code	Color Temperature	Luminous Flux	Wattage
122-159200	6000K	1255lm	18W

Color	Item code	Luminous Flux	Wattage
BLACK	122-159220	1255lm	18W
BLUE	122-159240	1255lm	18W
RED	122-159260	1255lm	18W
ORANGE	122-159280	1255lm	18W

Item code	Color Temperature	Luminous Flux	Wattage
122-15930	4000K	1595lm	22W
122-159300	6000K	1595lm	22W
122-15932	4000K	1870lm	30W

TINY LED

MINI LED


STANDART LED

STANDART COLOUR



MAXI LED

COLOUR


ELITE MAUN 1156-111



ELITE MAUN 1160-111



ELITE CEVIZ 1156-121



Item code	Socket	Dimensions d (mm)
122-260840	E27	240x100mm


Item code	Socket	Dimensions d (mm)
122-26095	2xE27	360x90mm

Item code	Socket	Dimensions d (mm)
122-26084	E27	360x100mm

MOTIF 88041 (1/2-30-40)



GULLU 88431-88432



KARANFIL 73301-73302



Item code	Temperature	Wattage	Dimensions d (mm)
121-03210	6000K	12W	1/2
121-03212	6000K	18W	300
121-03213	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03244	6000K	12W	1/2
121-03245	6000K	18W	300
121-03246	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03249	6000K	12W	1/2
121-03250	6000K	18W	300
121-03251	6000K	24W	400

SONBAHAR 73311-73312



SEMPATI 75351-75352



HITIT 88672



Item code	Temperature	Wattage	Dimensions d (mm)
121-03261	6000K	12W	1/2
121-03262	6000K	18W	300
121-03263	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03269	6000K	12W	1/2
121-03270	6000K	18W	300
121-03271	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03289	6000K	12W	1/2
121-03290	6000K	18W	300
121-03291	6000K	24W	400

BENEKLI 88271-88272



Item code	Temperature	Wattage	Dimensions d (mm)
121-03298	6000K	12W	1/2
121-03300	6000K	18W	300
121-03301	6000K	24W	400

BERGAMA 77292-77291



Item code	Temperature	Wattage	Dimensions d (mm)
121-03400	6000K	12W	1/2
121-03401	6000K	18W	300
121-03402	6000K	24W	400

TEMPO 77152-77151



Item code	Temperature	Wattage	Dimensions d (mm)
121-03403	6000K	12W	1/2
121-03404	6000K	18W	300
121-03405	6000K	24W	400

DEKORATIF 77142-77141



Item code	Temperature	Wattage	Dimensions d (mm)
121-03406	6000K	12W	1/2
121-03407	6000K	18W	300
121-03408	6000K	24W	400

DEKORATIF 8842-1; 88141



Item code	Temperature	Wattage	Dimensions d (mm)
121-034060	6000K	12W	1/2
121-034070	6000K	18W	300
121-034080	6000K	24W	400

LABIRINT 5144



Item code	Temperature	Wattage	Dimensions d (mm)
121-03410	6000K	12W	1/2
121-03411	6000K	18W	300
121-03412	6000K	24W	400

DL-69921A



Item code	Temperature	Wattage	Dimensions d (mm)
121-03424	6000K	12W	1/2
121-03426	6000K	18W	300
121-03428	6000K	24W	400

LED 16305 YM/YL



Item code	Temperature	Wattage	Dimensions d (mm)
121-030340	6000K	12W	250
121-030360	6000K	18W	300

1702/1712/1716



Item code	Temperature	Wattage	Dimensions d (mm)
121-03420	6000K	12W	1/2
121-03421	6000K	18W	300
121-03422	6000K	24W	400


71282-1; 71281-2; 71281-3



IP20



220v





70031-1; 70031-2; 70031-3



IP20



220v





70041



IP20



220v



Item code	Temperature	Wattage	Dimensions d (mm)
121-03645	6000K	12W	1/2
121-03646	6000K	18W	300
121-03647	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03651	6000K	18W	250
121-03652	6000K	18W	300
121-03653	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03657	6000K	18W	250
121-03658	6000K	18W	300
121-03659	6000K	24W	400


DEKORATIF 89142 89141



IP20



220v




DEKORATIF 88142-1; 88141; 88142



IP20



220v



Item code	Temperature	Wattage	Dimensions d (mm)
121-034061	6000K	12W	1/2
121-034071	6000K	18W	300
121-034081	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-034062	6000K	12W	1/2
121-034072	6000K	18W	300
121-034082	6000K	24W	400

Item code	Temperature	Wattage	Dimensions d (mm)
121-03537	6000K	12W	150x280
121-03539	6000K	18W	300
121-03541	6000K	24W	400



WL30202




IP20



220v




70032-1




Item code	Temperature	Wattage	Dimensions d (mm)
121-03655	6000K	18W	260

70042-1




Item code	Temperature	Wattage	Dimensions d (mm)
121-03661	6000K	18W	260

CAPITALS



Item code	Temperature	Wattage	Dimensions d (mm)
121-030540	6000K	18W	300x300x70

LED 1553-1S




Item code	Temperature	Wattage	Dimensions d (mm)
121-030280	6000K	12W	320x100

LED 15525



Item code	Temperature	Wattage	Dimensions d (mm)
121-030300	6000K	12W	320x100


16305-FL



Item code	Temperature	Wattage	Dimensions d (mm)
121-030320	6000K	18W	305x305





15517 2Y-3Y



Item code	Temperature	Wattage	Dimensions d (mm)
121-030440	6000K	18W	300
121-030460	6000K	24W	400

15517 3F



Item code	Temperature	Wattage	Dimensions d (mm)
121-030420	6000K	24W	400x400



Item code	Temperature	Wattage	Dimensions d (mm)
121-03310	6000K	12W	210x150x80
121-03311	6000K	12W	360x150x80



Item code	Temperature	Wattage	Dimensions d (mm)
121-035370	6000K	12W	210x150x80
121-03513	6000K	12W	360x150x80



Item code	Temperature	Wattage	Dimensions d (mm)
121-03320	6000K	12W	210x150x80
121-03321	6000K	12W	360x150x80



Item code	Temperature	Wattage	Dimensions d (mm)
121-03509	6000K	12W	250x180x70



Item code	Temperature	Wattage	Dimensions d (mm)
121-03512	6000K	12W	250x180x70






Item code	Temperature	Wattage	Dimensions d (mm)
121-03702	6000K	18W	d300
121-03704	6000K	18W	300x300



Item code	Temperature	Wattage	Dimensions d (mm)
121-03708	6000K	18W	d335
121-03709	6000K	18W	335x335



Item code	Temperature	Wattage	Dimensions d (mm)
121-03703	6000K	18W	320x320
121-03511	6000K	18W	d335



Item code	Temperature	Wattage	Dimensions d (mm)
121-03627	6000K	18W	335x335



Item code	Temperature	Wattage	Dimensions d (mm)
121-03637	6000K	18W	335x335



Item code	Temperature	Wattage	Dimensions d (mm)
121-03639	6000K	18W	d315




Item code	Temperature	Luminous Flux	Wattage
122-15938	3000K	1680 lm	18Bt
122-15940	6000K	1680 lm	18Bt
122-159400	4000K	1680 lm	18Bt
122-15615	Socket: 2xE27		до 25Bt





Item code	Temperature	Luminous Flux	Wattage
122-15942	4000K	1255 lm	18Bt
122-159420	6000K	1255 lm	18Bt
122-15617	4000K	878 lm	до 25Bt
122-26300	Socket: 2xE27		до 25Bt



Item code	Wattage
731-32005	25W
731-320050	25W




LED 1002



Item code	Temperature	Wattage	Dimensions d (mm)
121-03972	6000K	24W	300
121-03973	6000K	36W	400

LED 1003



Item code	Temperature	Wattage	Dimensions d (mm)
121-039730	6000K	24W	300
121-039731	6000K	36W	400

LED 1004



Item code	Temperature	Wattage	Dimensions d (mm)
121-039732	6000K	24W	300
121-039733	6000K	36W	400

LED 1027




Item code	Temperature	Wattage	Dimensions d (mm)
121-17974	4500K	18W	300

LED 1032




Item code	Temperature	Wattage	Dimensions d (mm)
121-17978	4500K	18W	300

LED YS6606



Item code	Temperature	Wattage	Dimensions d (mm)
121-030120	6000K	24W	300
121-030140	6000K	36W	400
121-030142	6000K	36W	500

LED YS6606




Item code	Temperature	Wattage	Dimensions d (mm)
121-030142	6000K	36W	500

LED YS6615




Item code	Temperature	Wattage	Dimensions d (mm)
121-030160	6000K	24W	300
121-030184	6000K	30W	400
121-030202	6000K	30W	500

LED YS6607




Item code	Temperature	Wattage	Dimensions d (mm)
121-030220	6000K	24W	300
121-030260	6000K	36W	400
121-030262	6000K	36W	500

LED X1300




Item code	Temperature	Wattage	Dimensions d (mm)
121-17850	5000K	12W	300
121-17852	5000K	18W	400

BF 201




Item code	Temperature	Wattage	Dimensions d (mm)
121-03555	6000K	18W	270

BF 203




Item code	Temperature	Wattage	Dimensions d (mm)
121-03556	6000K	18W	270

BF 205





Item code	Temperature	Wattage	Dimensions d (mm)
121-03559	6000K	18W	270

BF 206




Item code	Temperature	Wattage	Dimensions d (mm)
121-03557	6000K	18W	270

BF 207




Item code	Temperature	Wattage	Dimensions d (mm)
121-03560	6000K	18W	270

CAP 300-1




Item code	Temperature	Wattage	Dimensions d (mm)
121-030800	6000K	18W	270

CAP 300-2




Item code	Temperature	Wattage	Dimensions d (mm)
121-030802	6000K	18W	270

CAP 300-3




Item code	Temperature	Wattage	Dimensions d (mm)
121-030804	6000K	18W	270

2020



Item code	Temperature	Wattage	Dimensions d (mm)
121-03493	6000K	36W	300
121-03970	6000K	36W	400

X1201




Item code	Temperature	Wattage	Dimensions d (mm)
121-03960	6000K	24W	300
121-03962	6000K	36W	400

X1202




Item code	Temperature	Wattage	Dimensions d (mm)
121-03964	6000K	24W	320
121-03966	6000K	36W	370

2124



Item code	Temperature	Wattage	Dimensions d (mm)
121-03968	6000K	36W	400

DL2910-14



Item code	Temperature	Wattage	Dimensions d (mm)
121-03493	6000K	24W	280

